

## Contents of Applied Physics B 51

This listing presents the papers in alphabetical order of the first author. The Author Index that follows covers *Applied Physics A* and *B*, and is presented in tabular form. The names are listed in alphabetical order in the first column. The second and third columns contain the bibliographic data necessary to locate the paper. The issue is specified by the number separated from the volume number by a slash. The PACS numbers given in the fourth column may be used in conjunction with the PACS listing on the left to infer the topic of a paper.

### Photophysics and Laser Chemistry

Acker W.P., Serpengüzel A., Chang R.K., Hill S.C.: Stimulated Raman scattering of fuel droplets: Chemical concentration and size determination. *Appl. Phys. B* 51/1, 9-16 (1990) PACS: 42.65 42.68

Akitt D., Seguin H.J.J., Cervenan M.R., Nikumb S.K.: Automatic alignment of a high-power  $\text{CO}_2$  laser resonator. *Appl. Phys. B* 51/5, 326-328 (1990) PACS: 42.55D 42.60

Al Dahir R.K., Dyer P.E., Zhu Z.: Photoacoustic studies and selective ablation of vascular tissue using a pulsed dye laser. *Appl. Phys. B* 51/1, 81-85 (1990) PACS: 87.00 42.55 43.35 61.80

Ames F., Brumm T., Jäger K., Kluge H.-J., Suri B.M., Rimke H., Trautmann N., Kirchner R.: A high-temperature laser ion source for trace analysis and other applications. *Appl. Phys. B* 51/3, 200-206 (1990) PACS: 07.77 07.80 32.80 14.60

Arnold A., Ketterle W., Becker H., Wolfgram J.: Simultaneous single-shot imaging of  $\text{OH}$  and  $\text{O}_2$  using a two-wavelength excimer laser. *Appl. Phys. B* 51/2, 99-102 (1990) PACS: 82.40P 82.80 07.60

Attal-Trétoü B., Bouchardy P., Magre F., Péalat M., Taran J.P.: CARS in combustion: Prospects and problems. *Appl. Phys. B* 51/1, 17-24 (1990) PACS: 42.65D

Azinović D., Pichler G.: Ultraviolet and blue  $\text{NaHg}$  and  $\text{NaCd}$  excimer bands. *Appl. Phys. B* 51/6, 427-430 (1990) PACS: 33.80K 42.55 42.60 52.80

Bezrodny A.E., Semibalamut V.M., Titov E.A.: Effect of wavefront curvature within the cavity on the shift of the saturated-absorption resonance. *Appl. Phys. B* 51/3, 197-199 (1990) PACS: 07.00 42.60

Bhar G.C., Chatterjee U., Datta P.: Enhancement of second harmonic generation by double-pass configuration in barium borate. *Appl. Phys. B* 51/5, 317-319 (1990) PACS: 42.60H 42.65

Bombach R., Gerber T., Hemmerling B., Hubschmid W.: Aspects of hydrogen CARS thermometry. *Appl. Phys. B* 51/1, 59-60 (1990) PACS: 33.20F 42.65

Bornemann T., Kornas V., Schulz v.d.Gathen V., Döbeli H.F.: Temperature and concentration measurements of molecular hydrogen in a filamentary discharge by coherent anti-Stokes Raman spectroscopy (CARS). *Appl. Phys. B* 51/5, 307-313 (1990) PACS: 52.70 42.65

Cartaleva S.t.S., Gateva S.V.: 611.8 nm single-mode He-Ne laser. *Appl. Phys. B* 51/4, 292-294 (1990) PACS: 42.55 42.60

Chebotayev V.P.: Amplification of the pulse responses in ensemble of nonlinear oscillators. *Appl. Phys. B* 51/4, 303-306 (1990) PACS: 42.65

CHEN J.-T., YU Z.-X.: Investigation of aggregation of porphyrin derivative  $\text{Fe}(\text{TPP})\text{Cl}$  at low temperature by time-resolved fluorescence spectrum. *Appl. Phys. B* 51/3, 222-226 (1990) PACS: 36.00

Choroba S., Bötticher W.: Interferometric measurement of two-dimensional  $\text{Xe}^+$  and electron density distributions in  $\text{XeCl}$  laser discharges. *Appl. Phys. B* 51/6, 379-385 (1990) PACS: 42.55 07.60 52.70

Costa A.F. da, Tsui K.H., Huang Y.K., Massone C.A.: Partial pressure scaling law of  $\text{CO}_2$  laser efficiency. *Appl. Phys. B* 51/3, 227-232 (1990) PACS: 42.60

Cottereau M.J., Grisch F., Marie J.J.: CARS measurements of temperature and species concentrations into an IC engine. *Appl. Phys. B* 51/1, 63-66 (1990) PACS: 33.00 35.00

Dagata J.A., Villa E., Lin M.C.: UV desorption and photochemistry of dimethylgold hexafluoracetatoate adsorbed on a quartz substrate. *Appl. Phys. B* 51/6, 443-450 (1990) PACS: 82.50 82.65

Danailov M.B., Christov I.P.: Ultrabroadband laser using prism-based "spatially-dispersive" resonator. *Appl. Phys. B* 51/4, 300-302 (1990) PACS: 42.55M

Deac I., Cosma V., Silipan D., Muresan L., Tosa V.: Parametric study of the IRMPD of  $\text{CF}_3\text{HCl}$  molecules with the 9P22  $\text{CO}_2$  laser line. *Appl. Phys. B* 51/3, 211-214 (1990) PACS: 33.00

Derzhiev V., Karenin A., Sereda O., Stefanova M., Yakovlenko S.: Numerical modeling of He-Zn laser with helical hollow cathode. *Appl. Phys. B* 51/6, 465-468 (1990) PACS: 42.55H 52.25 52.80

Dibble R.W., Starner S.H., Marri A.R., Barlow R.S.: An improved method of data acquisition and reduction of laser Raman-Rayleigh and fluorescence scattering from multispecies. *Appl. Phys. B* 51/1, 39-43 (1990) PACS: 33.35

Dienstbier M., Benes R., Rejifir P., Sladky P.: Study of the UV laser ablation by optothermal methods. *Appl. Phys. B* 51/2, 137-140 (1990) PACS: 06.00 81.40 82.50

Dinev S.G., Hadjichristov G.B.: Polarization decoupling of stimulated processes sharing a common emission channel. *Appl. Phys. B* 51/4, 263-266 (1990) PACS: 42.65

Dyer P.E., Oldershaw G.A., Schudel D.:  $\text{XeCl}$  laser ablation of polyetheretherketone. *Appl. Phys. B* 51/5, 314-316 (1990) PACS: 82.50 42.60

Fickenscher M., Purucker H.-G., Lauberau A.: Efficient amplification of sub-picosecond pulses of non-CW dye laser. *Appl. Phys. B* 51/3, 207-210 (1990) PACS: 42.55M 42.60

Francesconi M., Gianfrani L., Inguscio M., Minutolo P., Sasso A., Tino G.M.: A new approach to impedance atomic spectroscopy. *Appl. Phys. B* 51/1, 87-90 (1990) PACS: 32.90 35.80

Goncharov A.N., Skvortsov M.N., Chebotayev V.P.: Study of relaxation of molecular iodine by the method of saturated absorption spectroscopy. *Appl. Phys. B* 51/2, 108-115 (1990) PACS: 07.60 07.65 42.60

Hayden C.C., Trebino R.: Coherent interactions in two-beam excite-probe absorption measurements: Phase gratings in flowing samples. *Appl. Phys. B* 51/5, 350-357 (1990) PACS: 42.65J 42.60 32.80

Henningsen J., Hammerich M., Olafsson A.: Mode structure of hollow dielectric waveguide lasers. *Appl. Phys. B* 51/4, 272-284 (1990) PACS: 42.55D 42.60 42.80

Hooker S.M., Webb C.E.: The absorption of 158 nm radiation in nitric oxide: The prospects for an optically pumped vacuum UV laser. *Appl. Phys. B* 51/2, 127-131 (1990) PACS: 42.55H

Hung N.D., Brechignac P., Coutant B.: A quasi double-grating grazing incidence pulsed dye laser. *Appl. Phys. B* 51/1, 75-79 (1990) PACS: 42.60

Ilyukhin A.A., Pykhov R.L., Smirnov V.V., Marowsky G.: Rotational temperature behaviour in supersonic jet expansions of molecular nitrogen. *Appl. Phys. B* 51/3, 192-196 (1990) PACS: 42.65

Joseph J., Singh K., Pillai P.K.C.: A new phase-conjugate one-way scheme for phase-distortion correction. *Appl. Phys. B* 51/3, 219-221 (1990) PACS: 42.80 42.65 42.40

Josten G., Lüthy W., Weber H.P.: Active phase stabilization in a two-fiber interferometer. *Appl. Phys. B* 51/6, 418-420 (1990) PACS: 42.80M 42.80 85.50

Kaman Y., Attenberger T., Bognet U., Maier M.: Electric field effects on persistent spectral holes: perylene in the polar polymer polyvinylbutyral. *Appl. Phys. B* 51/5, 336-341 (1990) PACS: 78.50 61.40

Ketterle W., Arnold A., Schäfer M.: Two-wavelength operation of a tunable KrF excimer laser a promising technique for combustion diagnostics. *Appl. Phys. B* 51/2, 91-93 (1990) PACS: 42.55G 42.60

Konefal Z., Ignaciuk M.: Stimulated collision induced processes in sodium vapor in the presence of helium. *Appl. Phys. B* 51/4, 285-291 (1990) PACS: 32.80W 32.90

Kröll S., Bengtsson P.-E., Aldén M., Nilsson D.: Is rotational CARS an alternative to vibrational CARS for thermometry? *Appl. Phys. B* 51/1, 25-30 (1990) PACS: 42.65D 82.40

Kühne G., Teubner U., Szatmári S.: Amplified spontaneous emission in short-pulse excimer amplifiers. *Appl. Phys. B* 51/1, 71-74 (1990) PACS: 42.60 42.55

Lange B., Wolfrum J.: The impact of laser field statistics in determination of temperature and concentration by multiplex USED CARS. *Appl. Phys. B* 51/1, 53-58 (1990) PACS: 42.65D

Laptev V.B., Tunanova L.M., Kuz'menko V.A., Ryabov E.A.:  $^{18}\text{O}$ -selective IR MPD of perfluorodimethyl ether. *Appl. Phys. B* 51/6, 454-457 (1990) PACS: 82.50 33.00 35.00

Lu X.J., Yu F.T.S., Gregory D.A.: Comparison of Vander Lugt and joint transform correlators. *Appl. Phys. B* 51/2, 153-164 (1990) PACS: 42.30 42.80

MA L.S., DING L.E., BI Z.Y.: Doppler-free two-photon modulation transfer spectroscopy in sodium dimers. *Appl. Phys. B* 51/3, 233-237 (1990) PACS: 07.56B 33.80 42.50

MA P., SUGITA K., ARAI S.:  $^{13}\text{C}$ -selective IRMPD of  $\text{CBr}_2\text{F}_2/\text{Cl}_2$  and  $\text{CCl}_2\text{F}_2/\text{Br}_2$  systems. *Appl. Phys. B* 51/2, 103-107 (1990) PACS: 82.50 33.00

Marowsky G., Lüppke G.: CARS-background suppression by phase-controlled nonlinear interferometry. *Appl. Phys. B* 51/1, 49-51 (1990) PACS: 42.65

Meienberg W., Neckel H., Wolfrum J.: In situ measurement of ammonia with a  $^{13}\text{CO}_2$ -waveguide laser system. *Appl. Phys. B* 51/2, 94-98 (1990) PACS: 42.60B

Meier B., Weidner P., Penzkofer A.: Double line stimulated Raman scattering in benzene. *Appl. Phys. B* 51/6, 404-413 (1990) PACS: 42.65C 42.65

Meijer G., Vries M.S. de, Hunziker H.E., Wendi H.R.: Laser desorption jet-cooling of organic molecules: Cooling characteristics and detection sensitivity. *Appl. Phys. B* 51/6, 395-403 (1990) PACS: 35.80 82.80 47.45

Michailov N.I., Christov I.P., Tomov I.V.: Two-wavelength operation of a femtosecond ring dye laser. *Appl. Phys. B* 51/2, 171-176 (1990) PACS: 42.60

Miles R., Lempert W.: Two-dimensional measurement of density, velocity, and temperature in turbulent high-speed air flows by UV Rayleigh scattering. *Appl. Phys. B* 51/1, 1-7 (1990) PACS: 47.80V

Musielok J., Janus H.W., Jeleški W.: Spectroscopic studies of a helium plasma generated near ceramic surface at pressures below 1000 hPa. *Appl. Phys. B* 51/2, 165-170 (1990) PACS: 52.70 52.80

Nahme H., Schwentner N.: Luminescence of rare gas crystals at high excitation densities for VUV laser applications. *Appl. Phys. B* 51/3, 177-191 (1990) PACS: 42.55F 42.55 78.45

Nasini V., Perrone M.R.: Double XeCl laser with lateral UV preionization. *Appl. Phys. B* 51/4, 254-257 (1990) PACS: 42.55 42.60

Neubecker R., Balzer W., Tschudi T.: Characterization of nematic liquid crystals for nonlinear optical applications. *Appl. Phys. B* 51/4, 258-262 (1990) PACS: 42.65 42.80 42.30

Ogawa T., Ema K.: A continuous-mode model of the mode locking in a pump-modulated laser. *Appl. Phys. B* 51/6, 431-436 (1990) PACS: 42.60F 42.60

O'Neill C., Coulombe B., Galarneau P., Denariez-Roberge M.-M.: Real-time diffraction gratings in DDI-methanol solutions. *Appl. Phys. B* 51/2, 116-120 (1990) PACS: 42.65K 78.20

Porter I., Guerra J.M.: Fast local intensity fluctuations in a pulsed untuned dye laser. *Appl. Phys. B* 51/5, 342-349 (1990) PACS: 42.55M 42.50

Porter F.M., Greenhalgh D.A., Stopford P.J., Williams D.R., Baker C.A.: A study of CARS nitrogen thermometry at high pressure. *Appl. Phys. B* 51/1, 31-38 (1990) PACS: 42.65 78.30

Roussignol Ph., Ricard D., Flytzanis Chr.: Quantum confinement mediated enhancement of optical Kerr effect in  $\text{CdS}_{1-x}\text{Se}_{x}$  semiconductor microcrystallites. *Appl. Phys. B* 51/6, 437-442 (1990) PACS: 42.65 81.40 78.65

Rowley W.R.C., Gill P.: Performance of internal-mirror frequency-stabilized He-Ne lasers emitting green, yellow or orange light. *Appl. Phys. B* 51/6, 421-426 (1990) PACS: 42.50 42.55 42.60

Rupp R.A., Sommerfeldt R., Ringhofer K.H., Krätzig E.: Space charge field limitations in photorefractive  $\text{LiNbO}_3:\text{Fe}$  crystals. *Appl. Phys. B* 51/5, 364-370 (1990) PACS: 42.40 72.40 42.70

Saxena R., McMichael I., Yeh P.: Dynamics of refractive-index changes and two-beam coupling in resonant media. *Appl. Phys. B* 51/4, 243-253 (1990) PACS: 42.50 42.65

Schmidt V., Suess K.-E., Weidner F.: The influence of spontaneous emission on the pulse generation in DFDL near threshold. *Appl. Phys. B* 51/5, 320-325 (1990) PACS: 42.55M

Schubert M., Siemers I., Blatt R.: Kinetic energy and spatial width of ion clouds in Paul traps. *Appl. Phys. B* 51/6, 414-417 (1990) PACS: 32.70J 32.80

Scully M.O.: A simple laser linac. *Appl. Phys. B* 51/3, 238-241 (1990) PACS: 42.60 42.80 85.60

Shirley J.A.: UV Raman spectroscopy of  $\text{H}_2$ -air flames excited with a narrowband KrF laser. *Appl. Phys. B* 51/1, 45-48 (1990) PACS: 33.20F

Sinha S., Gupta P.K.: Temporal synchronization of independently tunable single longitudinal mode hybrid  $\text{CO}_2$  lasers. *Appl. Phys. B* 51/4, 295-299 (1990) PACS: 42.60B 42.55

Skordoulis C., Spyrou S., Cefalas A.C.: Gain and saturation measurements in a discharge excited  $\text{F}_2$  laser using an oscillator-amplifier configuration. *Appl. Phys. B* 51/2, 141-145 (1990) PACS: 42.60D 42.55

Suess K.-E., Weidner F.: Properties of a distributed feedback dye laser with integrated amplifier. *Appl. Phys. B* 51/4, 267-271 (1990) PACS: 42.55M

Sugiyama K., Yoda J.: Anharmonic oscillation of ions trapped in an RF trap with light buffer gas. *Appl. Phys. B* 51/2, 146-152 (1990) PACS: 41.70 52.55 35.80

Suzuki T., Kasuya T.: Optogalvanic detection of negative ions in discharges. *Appl. Phys. B* 51/5, 374-378 (1990) PACS: 32.80F 51.50 52.70

TSAI J.-h., LU M.-h.: A rich spectrum from potassium vapor on the  $4^3\text{S}_{1/2}-3^2\text{D}_{5/2}$  two-photon resonance. *Appl. Phys. B* 51/6, 386-394 (1990) PACS: 42.60 42.65

Wenzel N., Lange B., Marowsky G.: High-temperature  $\text{N}_2$ -CARS-thermometry. *Appl. Phys. B* 51/1, 61-62 (1990) PACS: 42.65

White J.D., Chakrabarti A., Reid J.: High power, high efficiency optically pumped  $\text{NH}_3$  lasers. *Appl. Phys. B* 51/5, 371-373 (1990) PACS: 33.80B 42.55 42.60

Wichmann B., Liedenbaum C., Reuss J.: A numerical investigation of occurrence conditions and line broadening effects for a rapid adiabatic passage process. *Appl. Phys. B* 51/5, 358-363 (1990) PACS: 33.00 42.60

Wrobel R., Niay P., Bernage P., Blondeau J.M., Ledee J.J., Brunetaud J.M.: Identification of cholesterol gallstones by using in vitro low-fluence laser-induced fluorescence spectroscopic analysis. *Appl. Phys. B* 51/6, 458-464 (1990) PACS: 33.50

XIE C., GAO J., LIAN Y., YANG X., PENG K.: Increasing absorption optical bistability operating in front surface layer of high absorption samples. *Appl. Phys. B* 51/3, 215-218 (1990) PACS: 42.65J 42.70

Yamaga M., Henderson B., O'Donnell K.P., Yue G.: Temperature dependence of the lifetime of  $\text{Cr}^{3+}$  luminescence in garnet crystals. II. The case of YGG. *Appl. Phys. B* 51/2, 132-136 (1990) PACS: 42.70 79.60

Yamaga M., Gao Y., Rasheed F., O'Donnell K.P., Henderson B., Cockayne B.: Radiative and non-radiative decays from the excited state of  $\text{Ti}^{3+}$  ions in oxide crystals. *Appl. Phys. B* 51/5, 329-335 (1990) PACS: 42.70 79.60

Yang T.T., Bower R.D., Blauer J.A.: Chemically produced  $\text{Xe}(\text{B} \rightarrow \text{X})$  emission. *Appl. Phys. B* 51/6, 451-453 (1990) PACS: 33.50D

ZHANG J.-Y., King T.A.: Competitive processes in Tl anti-Stokes Raman laser system. *Appl. Phys. B* 51/2, 121-126 (1990) PACS: 42.55H 42.60 42.65

Zizak G., Cignoli F., Benecchi S.: A complete treatment of a steady-state four-level model for the interpretation of OH laser-induced fluorescence measurements in atmospheric pressure flames. *Appl. Phys. B* 51/1, 67-70 (1990) PACS: 07.65 33.00

